













One-touch pus

Max sealed suction

21_{kPa}

Max air flow

1.2 m³/min

Noise level

54_{dB(A)}

BL



Quiet cle

[Mode 1] Low noise dB(A) [Mode 4: 65 dB(A)]




4-mode suction power selection with mode memory function

- · The cleaner can memorize a previous power mode and resume vacuuming at the same mode as last time user turned off for user convenience.
- · Power mode can be selected before the cleaner is turned on.
- · Selected power mode is indicated by 4 green LEDs.





Max sealed suction CL001G 21_{kPa} Predecessor Model +12.8 8.2 kPa



Improved dust-resistance -

When capsule is installed securely, two ribs inside capsule press the inside frame of filter to hold the filter tight.





HEPA filter is available





Pre-filter

Easy shake off filter B set

HEPA filter







Redesigned Floor/ Carpet T-nozzle

- Redesigned structure reduces the resistance caused by suction, providing smooth running.
- Redesigned inside air flow path reduces the noise made inside the nozzle.





aning



DCL281F 🥞 🛪



Cordless Cleaner Series









40Vmax series movie



40Vmax mechanism movie



Snow-white Makita-blue

This movie was filmed in Japan. Models and specs may vary by country.



Nozzle assembly For floor/ carpet

- Part No. 127825-8
- Part No. 127827-4
- Part No. 127828-2



Nozzle assembly For rug / carpet Part No. 198525-7

(EU) 198528-1

- Part No. 198523-1
 - (EU) 198527-3
- Part No. 198526-5 (EU) 198529-9

Nozzle assembly For floor Part No. 123486-2

- Part No. 123488-8
- Part No. 123539-7



Sheet Nozzle

- Part No. 199038-1



Flexible hose





Flexible hose

- Part No. 198867-9 (EU) 198868-7
- Part No. 198541-9 (EU) 198545-1
- Part No. 198543-5 (EU) 198547-7



Sash nozzle

- Part No. 413770-6
- Part No. 413859-0 Part No. 413809-5

Long sash nozzle

- Part No. 198919-6
- Part No. 198990-0 Part No. 198992-6

Round brush

- Part No. 198878-4
- Part No. 198553-2
- Part No. 198555-8



Crevice nozzle 415

Part No. 199439-3



Shelf brush

- Part No. 198873-4

Part No. 198750-0



Cyclone attachment set with pipe lock

- Part No. 191D71-3
- Part No. 191D73-9



Straight pipe set 340

- Part No. 191D76-3
- Part No. 191D78-9
- Part No. 191D77-1



Easy shake off filter B set

Part No. 199966-0



Filter H set

Part No. 199989-8





Tool bag set

Pre-filter

Part No. 199901-8





Holder Set

Part No. 199971-7





(LxWxH: 600x210x190mm)

Charging Time Reference

40V/Li-ion	DC40RA [Fast Cyberglag]	DC40RC
*1 BL4020 2.0Ah	22 _{min}	30 _{min}
*1 BL4025 2.5Ah	28 _{min}	38 _{min}
*1 BL4040 4.0Ah	45 _{min}	67min
BL4050F 5.0Ah	50min	85min

Cordless Cleaner

CL001G

Electronic 4-Speed

Built-in Job Light

Capacity Continuous Use (min.) w/BL4040, 1 / 2 / 3 / 4: 128 / 64 / 40 / 25

Max Air Flow Max Sealed Suction 1.2 m³/min (water column) (2,100 mmH₂O)

1,066 x 113 x 152 mm (42 x 4-7/16 x 6") w/ BL4040: 1,081 x 113 x 152 mm (42-1/2 x 4-7/16 x 6") 1.7 - 2.3 kg (3.5 - 5.1 lbs.)

Standard Equipment: Floor Nozzle, Sash Nozzle, Sash Nozzle Holder, Pipe, Filter H, Easy Shake Off Filter, Hand Strap, Battery, Charger

*1 Recommended battery The weight does not include accessories but battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Corporation

Net weight